VOYGAR
QUALITY IS OUR CONCERN

BASERACK WALL MOUNT CABINET RACK 600*450MM



VOYGAR BASERACK wall-mounted cabinet 19" was specially developed for optimal allocation of active and passive equipment in limited space.
The cabinet is an all-welded design made of advanced steel plates 1.0 mm thick, the unit racks are made of galvanized steel 1.5 mm thick.

Product Purpose

BASERACK wall type 60*45 cabinets designed for installation, protection from mechanical damage and unauthorized access to electric equipment, networking services, distribution equipment, switching and other 19" equipment in accordance with standards DSTU 3040-95, GOST 28601-95 (1,2,3) and IEC 297.

General Features

- Available Sizes: 6U- 9U- 12U- 15U- 18U
- The Fan Module can be mounted in the upper sachet from inside the cabinet.
- Cabinet corner profiles are closed with plastic corner.
- The device trims are made of numbered galvanized metal.
- Height adjustable pinion foot and wheel set can be mounted.
- Cylinder lock system is used on the front cover.
- There are hidden hinges with spring on the front cover.
- Aluminum extruded glass door frame is used on the front cover.
- Side flaps are fitted with a mechanical toothed cover closing system.
- It is painted with electrostatic powder paint.
- The Rear Cover provides independent wall mount capability from the cabinet and cable entry unloading is available.

General Specifications

Load Capacity (kg)	60kg
Front Cover	4mm impact resistant Glass with Edge Frame.
Door opening angle	180 degree
Cable entries	(122*66 mm) the roof, the bottom and the rear panel
Fan units	can be installed on the roof and the bottom
Semi-textured	powder-coat paint RAL 7035, RAL 9005
Side Covers	Slide and O Locked Flat Panel.
Paint Specification	Ral 9005 (Black), Ral 7035 (Light Grey)
Top sachet	70mmx146mm crimped cable entry.
Bottom sachet	Plastic cover cable entry.
Available Sizes	6U -9U -12U -15U -18U

BASERACK wall type cabinet the thickness of the metal is 1 -1.5 mm.
Type of coating-powder is chagrin, colour RAL 9005.
Protection degree is according to GOST 14254-96 – IP 20
Dimensions are 600x500 mm (WxD).

Acceptance Certificate

The Cabinet is made and adopted in accordance with the requirements of national standard DSTU 3040- 95 and TU 32.2-34016558-002:2009 and approved for operation.


Manufacturer's Guarantees


Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com

The warranty period of operation is according to the Agreement or 12 months from the date of sale.

Storage Conditions
Before exploitation it is necessary to store the cabinet in original package at room temperature from +1 to + 40 ◦C and relative humidity up to 80% at 25 ◦C

Rack Drawing





Ordering Information

Wall Mount CABINET 19" W=600mm D=450mm

PRODUCT CODE	PRODUCT DESCRIPTION	DIMENSIONS LxWxH (mm)	MOUNTING RAIL SIZE(U)	MOUNTING RAIL SIZE (mm)	PRODUCT WEIGHT (kg)
BG1M06406	19" 6U 600x450 CABINET	600X450X418	6	354	18
BG1M06409	19" 9U 600x450 CABINET	600X450X505	9	443	22
BG1M06412	19" 12U 600x450 CABINET	600X450X640	12	576	28
BG1M06415	19" 15U 600x450 CABINET	600X450X818	15	754	36
BG1M06418	19" 18U 600x450 CABINET	600X450X996	18	932	43

PDUS SCHUKO SOCKET SWITCHED

PN	Description
HPD1SKSK04	19Inch PDU 4 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK05	19Inch PDU 5 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK06	19Inch PDU 6 SCHUKO SOCKET SWITCHED 16AMP LED INDIC

FAN MODULE

PN	Description
FANSWR02	2 Fan Module ON/OFF Switched Free Standing Type

BASE AND FLOOR FIXING MODULE

PN	Description
SHFX5350	19" D:350 1/2U STATIONARY FIXED SHELF

Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com