
VOYGAR
QUALITY IS OUR CONCERN

ECORACK 19" FLOOR MOUNTED Type 800x800MM CABINET



ECORACK FLOOR MOUNTED series are designed to provide optimum performance with a professional technical and aesthetic look for a wide range of applications in the data, security, audio visual and telecommunication field and available in range of heights and depths.
Strength, ease of use and aesthetics are priorities of ECORACK FLOOR MOUNTED design.
Each cabinet has a ventilated roof for better air circulation. Fully adjustable front and rear profile rails and large cable entries of the cabinet make this product extremely attractive to installers.
Each rack consists of up to 1.5mm strong steel sheet material which ensures a very good stability as a robust steel construction due to special plate curving technique and a load capacity up to 600kg can be reached.
An extensive accessories portfolio for plinths, shelves, cable management, etc. will help to meet many requirements in daily use.

General Features

- Safety class rating IP20
- 360° spendable with castors
- Ventilated roofs make air circulation better and reaching fan modules easier
- Roof corners are closed with plastic corner
- Swing handle lock fitted to glass front door and solid metal rear door
- Full height front and rear adjustable galvanized steel 19" profiles
- 19" profiles marked with U height position
- Large cut out in base and roof for cable entry
- Roof is prepared for fan units (punched out entries)
- The Fan Module can be installed in the upper sachet from inside the cabinet.


General Specifications

Load Capacity (kg)	600kg
Front Cover	4mm impact resistant smoked glass with edge frame
Frame of Front door	Aluminium extruded glass door frame is used on the front cover Single opening with 120° angle
Locking lever system	a single-point locking lever system is used
Rear door	singe opening with 120° angle
Side panels	2x sliding lock and a key lock and easily detachable
Paint Specification	RAL 7035 or RAL 9005
Top sachet	3*316mmx70mm pre-punched cable entry.
Bottom sachet	5*316mmx70mm pre-punched cable entry.
Corners	Reinforced constructions are available on the side corners Cabinet corner profiles are closed with plastic corner
Trims	The device trims are made of numbered galvanized metal
Available Sizes	26U up to 47U

The frame and corner profiles have a screwed structure at the exterior surface.
The rear and side covers are made by DKP sheet and the front side is made by 4 mm thick, impact resistant, tempered and smoked-colored glass which is supported by metal frames.
The main frame is 1.5 mm, side and rear covers are 1.2 mm steel sheet.
The frame and corner profiles have a screwed structure at the exterior surface.
Ventilation is provided by cooling units with 4 fans.
At the top part there is a protective structure that prevent to entrance of dust and foreign matters.

Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com


Rack Drawings





Stresemannstraße 23
10963 Berlin


Tel. 030 65774162
Fax. 030 700143-1359

E-mail: info@voygar.de
www.voygar.com






BOTTOM VIEW


ISOMETRIC VIEW

Stresemannstraße 23
10963 Berlin

Tel. 030 65774162
Fax. 030 700143-1359

E-mail: info@voygar.de
www.voygar.com

Ordering Information

FLOOR MOUNTED W=800mm D=800mm

PRODUCT CODE	PRODUCT DESCRIPTION	RAL	HEIGHT (mm)	WIDTH(mm)	DEPTH(mm)	PRODUCT WEIGHT (kg)
EG1M18826	19" FLOOR MOUNTED Type 26U 800x800 CABINET	7035 /9005	1342	800	800	70
EG1M18832	19" FLOOR MOUNTED Type 32U 800x800 CABINET	7035 /9005	1609	800	800	80,5
EG1M18836	19" FLOOR MOUNTED Type 36U 800x800 CABINET	7035 /9005	1787	800	800	87
EG1M18839	19" FLOOR MOUNTED Type 39U 800x800 CABINET	7035 /9005	1920	800	800	91
EG1M18842	19" FLOOR MOUNTED Type 42U 800x800 CABINET	7035 /9005	2053	800	800	95,5
EG1M18844	19" FLOOR MOUNTED Type 44U 800x800 CABINET	7035 /9005	2187	800	800	100
EG1M18847	19" FLOOR MOUNTED Type 47U 800x800 CABINET	7035 /9005	2287	800	800	105

Complied PDU Options

PN	Description
HPD1SKSK06	19Inch PDU 6 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK08	19Inch PDU 8 SCHUKO SOCKET SWITCHED 16AMP LED INDIC

Complied FAN MODULE

PN	Description
FANSWR02	2 Fan Module ON/OFF Switched Free Standing Type
FANSWR04	4 Fan Module ON/OFF Switched Free Standing Type

Complied BASE and FLOOR FIXING MODULE

PN	Description
SHFX5600	19" D:600 1/2U STATIONARY FIXED SHELF
SHSL1800	19" D:800 1U SLIDING SHELF

Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com