VOYGAR
QUALITY IS OUR CONCERN

ECORACK 19" Wall Mount 600*600 CABINET



ECORACK series wall mounted rack cabinets designed for superior performance and gives maximum performance on cabling and networking infrastructure; in addition, it provides a very relative economy compared to its quality which is based on high technology industry.

ECORACK series is available in 7U, 9U, 12U and 16U and heights with 600x450mm or 600x600mm sizes. Stability is given due to the welding spots. Side sections are detachable and installation on the wall is easy so it can be implemented quickly.
Lockable safety-glass door. 210° door opening angle. 1-point locking mechanism on the front door. 19" galvanized profile rails mounted on the front side inside of the cabinet. 600mm depth cabinets have 19" profile rails both on the front and rear side. Top case has a ready Forced Ventilation (Fan Module) integration area. This area is with pre punched slots even without Fan integration provides passive heat removal function via convection.

General Features

- Safety class rating IP20
- Available in 7U, 9U, 12U and 16U heights
- Mono-block welded top and bottom cases
- 3 grounding points (bottom, side panel and front door)
- 19" galvanized profile rails marked with U height position
- Roof is prepared for fan units (punched out entries)


General Specifications

Load Capacity	100kg
Front Cover	4mm impact resistant smoked glass Aluminium extruded glass door frame
Side panels	2x sliding lock and a key lock and easily detachable
Paint Specification	RAL 7035 or RAL 9005
Top sachet	70mmx146mm pre-punched cable entry.
Rear sachet	100mmx250mm pre-punched cable entry.
Bottom sachet	70mmx146mm pre-punched cable entry.
Available Sizes	7U-9U-12U-16U


The main frame is 1.5 mm, side and rear covers are 1.2 mm steel sheet.
The frame and corner profiles have nested structure and this structure provides high strength.
At the top part there is a protective structure that prevent to entrance of dust and foreign matters.
Painted by impact-resistant, high strength, electrostatic Ral 9005 texture black colour.
Ventilation is provided by cooling units with 2fans.
All test procedures have been carried out and has ROSH, CE, EN 61587-1 standards.

Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com


Rack Drawing




FRONT VIEW




SIDE VIEW




REAR VIEW





TOP VIEW



BOTTOM VIEW


ISOMETRIC VIEW


ISOMETRIC VIEW



EXPLODED VIEW

Stresemannstraße 23
10963 Berlin

Tel. 030 65774162
Fax. 030 700143-1359

E-mail: info@voygar.de
www.voygar.com

Ordering Information

Wall Type W=600mm D=600mm

PRODUCT CODE	PRODUCT DESCRIPTION	RAL	HEIGHT (mm)	WIDTH(mm)	DEPTH(mm)	PRODUCT WEIGHT (kg)
EG1M06607	19" Wall Type 7U 600x600 CABINET	7035 /9005	423	600	600	18,6
EG1M06609	19" Wall Type 9U 600x600 CABINET	7035 /9005	512	600	600	22,5
EG1M06612	19" Wall Type 12U 600x600 CABINET	7035 /9005	646	600	600	28,8
EG1M06616	19" Wall Type 16U 600x600 CABINET	7035 /9005	824	600	600	36,7

Complied PDU Options

PN	Description
HPD1SKSK04	19Inch PDU 4 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK05	19Inch PDU 5 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK06	19Inch PDU 6 SCHUKO SOCKET SWITCHED 16AMP LED INDIC
HPD1SKSK08	19Inch PDU 8 SCHUKO SOCKET SWITCHED 16AMP LED INDIC

Complied FAN MODULE

PN	Description
FANSWR02	2 Fan Module ON/OFF Switched Free Standing Type
FANSWR04	4 Fan Module ON/OFF Switched Free Standing Type

Complied BASE and FLOOR FIXING MODULE

PN	Description
SHFX5450	19" D:450 1/2U STATIONARY FIXED SHELF
SHSL1600	19" D:600 1U SLIDING SHELF

Stresemannstraße 23
10963 Berlin
Tel. 030 65774162
Fax. 030 700143-1359
E-mail: info@voygar.de
www.voygar.com